



Jig-kit Health & Decorative Light Company

CATALOG

LED Lighting Series

Aluminum & Plastic Strip

J-1

www.jig-kitlight.com



jig-kit health & decorative light company

杰克健康燈飾公司

jig-kit health & decorative light company emerges as a lighting designer, manufacturer and supplier established in Hong Kong and Mainland China . Our company devotes herself in the development, manufacturing and marketing of green, low-carbon and energy-saving lighting products. we are proud to provide a wide range of LED products.







Safe & Stable



Greer



Customize

Apply to decorative light

- O LED cabinet lamp, LED aluminum light strip
- LED modeling light, LED neon light
- LED soft light strip, LED waterproof light strip
- O Decorative lights for various festival atmosphere



嵌入式系列 EMBEDDED SERIES













CBL-A1712-R2 P12 CBL-A1910-R1 P13 CBL-A2207-R1



P14 CBL-A2212-R1 P15 CBL-A2309-R1 P16 CBL-A2310-R1








P17 CBL-A2413-R1



明裝系列 SURFACE MOUNTED SERIES







異形系列 SPECIAL SHAPE SERIES

玻璃層板燈 /GLASS SHELF LIGHTS





層板燈 / LAMINATE LIGHTS



免拉手燈 / FREE HANDLE LIGHTS



嵌入式系列 EMBEDDED SERIES



 Light efficiency (lm/W).Power (W).Color Rendering Index (CRI). Length Can be customized according to customer needs.



- Silicone lampshade, uniform astigmatism.
- The lamp body is small and exquisite, mini embedded.
- Side light , soft light , bright without spot.



Product parameters

Wattage (W/M)

Model CBL-A0609-R1 Voltage(V) CBL-A0609-R1

Size (mm) Slot 6 * 9(Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063
Surface Oxidation Steel Gray
Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- Silicone lampshade, uniform astigmatism.
- The lamp body is small and urgent, mini embedded.
- Side light, soft light, bright without spot

Product Diagram



Product parameters

 Model
 CBL-A1111-R1

 Voltage(V)
 DC12

 Wattage (W/M)
 6

Size (mm) Slot 10 * 11 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output (Lum/W) 100±5

Lamp Body Material Aluminum 6063
Surface Oxidation Steel Gray
Lead Length (cm) 200

Installation Method Clamp in 6-8mm Glass

Service Life (hours) 35000

Retail Price (HKD/M) \$66 (excluding power supply)




Application



- Embedded slim design brings you a unique lighting experience.
- The lamp body is small and urgent, and the lamp and the furniture are integrated into one.
- Bright and non glare, showing true colors.

Product Diagram





Product parameters

 Model
 JK-C1110L

 Voltage(V)
 DC12

 Wattage (W/M)
 8

Size (mm) Slot 8.8*10.5(Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life(hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- Concealed installation, stylish and beautiful, soft light without glaze.
- Cold light source, with low heat generation, will not generate thermal radiation on the items inside the cabinet.
- The lamp body is small and exquisite, and the lamp and furniture are integrated.

Product Diagram





Product parameters

Model CBL-A1208-R1

Voltage (V)

Wattage (W/M)

8

Size (mm) Slot 8*9 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063
Surface Oxidation Silver Black
Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application



- Anodized lamp surface, more durable.
- The lamp body is serrated, making it more securely installed.
- Embedded hidden oblique light without dazzling.

Product Diagram





Product parameters

 Model
 CBL-A1211-R1

 Voltage (V)
 DC12

 Wattage (W/M)
 12

Size (mm) Slot 10*10.5(Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Grey Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life(hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- Concealed installation, stylish and beautiful, soft light without glaze.
- No spots, uniform light, fine and delicate emitting surface.
- The lamp body is small and exquisite, and the lamp and furniture are integrated.

Product Diagram





Product parameters

Model CBL-A1312-R1 Voltage(V) DC12

Wattage (W/M) 8

Size (mm) Slot 8.5*13 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000


Retail Price (HKD/M) \$50 (excluding power supply)



Application



- The concealment of the light source is strong, without the sense of lamp beads.
- High transparency, non dazzling, natural color, and uniform light.
- The top of the lampshade has no spots, and the wall thickness is evenly distributed, meeting your pursuit of perfect lampshade.





Product parameters

Model CBL-A1411-R1 DC12 Voltage(V) Wattage (W/M)

Slot 11.8*11 (Length Customizable) Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life(hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- Scientific lighting configuration design, soft light and anti glare function.
- Even light, no dark area, bright light.
- High quality aviation aluminum, streamlined design, create a visual feast for you.

Product Diagram



Wattage (W/M)





Product parameters

Model CBL-A1511-R1
Voltage(V) DC12

Size (mm) Slot 11*12 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5


Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)



Application



- Round plug, flat plug, multi-color aluminum material, more perfect match for furniture decoration;
- Uniform lighting, no dark areas, preferred for cabinet lighting;
- The entire surface of the lamp is anodized, making it more durable. The lamp body is serrated and installed more firmly.



unit:mm



Product parameters

Model CBL-A1712-R1 DC12 Voltage(V)

Wattage (W/M)

Slot 14.7*13 (Length Customizable) Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver/Black/Gold/Bronze

Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life(hours) 35000

Built-in sensor Hand Scanning Sensing Retail Price (HKD/M) \$68 (excluding power supply)




Application





- Anodized lamp surface, more durable.
- The lamp body is zigzag for more secure installation.
- Embedded hidden oblique light without dazzling.

Product Diagram



Product parameters

 Model
 CBL-A1712-R2

 Voltage (v)
 DC12

 Wattage (W/M)
 8

Size (mm) Slot 14.8*13 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver/Sandblasting Bronze

Lead Length (cm) 200


Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$66 (excluding power supply)




Application



- Entire light emitting surface, after installation of the aluminum side hide more beautiful.
- High transparency, non dazzling, natural color, and uniform light.
- The top of the lampshade has no spots, and the wall thickness is evenly distributed, meeting your pursuit of perfect lampshade.

Product Diagram







Product parameters

Wattage (W/M)

Model CBL-A1910-R1 DC12 Voltage(V)

Slot 15.2*11 (Length Customizable) Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$80 (excluding power supply)

Built-in sensor Hand Scanning Sensing/Touch Sensing




Application





- The surface of the entire lamp is anodized with a delicate and smooth feel;
- Long service life, low voltage operation, safe and reliable use;
- There are no drawbacks such as easy burning, thermal deposition, and light decay when emitting light from the filament.



Product parameters

Model CBL-A2207-R1 DC12 Voltage(V)

12 Wattage (W/M)

Slot 16.8*8 (Length Customizable) Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$68 (excluding power supply)

Built-in sensor


Hand Scanning Sensing/ Touch Sensing/Human Body Sensing



Application



- The entire surface of the lamp is anodized, making it more durable.
- The lamp body is serrated, making it more securely installed.
- The light wires can be separated.



Product parameters

Model CBL-A2212-R1 Voltage (V) CBL-A2212-R1

 Wattage (W/M)
 12

 Size (mm)
 Slot 16.8*13 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$80 (excluding power supply)

Built-in sensor Hand Scanning Sensing/Touch Sensing/ Human Body Sensing

Application






Froduct reature

- Easy installation, can adjust the lighting angle as the installation environment changes.
- 45 degree polarized lampshade, scientifically designed without glare.
- Embedded hidden oblique light without dazzling.

Product Diagram





unit:mm

Product parameters

 Model
 CBL-A2309-R1

 Voltage(V)
 DC12

Wattage (W/M) 8

Size (mm) Slot 21.5*10 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5


Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$66 (excluding power supply)



Application



- LED cold light source, pure light color, very good display effect.
- High transparency, non dazzling, natural color, and uniform light.
- High thermal conductivity aluminum-based PCB board, low heat generation and good heat dissipation.

Product Diagram unit:mm Product parameters Model CBL-A2310-R1 DC12 Voltage(V) Wattage (W/M) Slot 18.8*11 (Length Customizable) Size (mm) 4660

LED

SMD2835 3000/4000/6000

Colour Temp (K) Lumen Output(Lum/W) Lamp Body Material

Aluminum 6063 Silver/Black

Surface Oxidation Lead Length (cm)

200 Slotted Embedded

100±5

Installation Method Service Life (hours)

35000

Retail Price (HKD/M) Built-in sensor

\$68 (excluding power supply)

Hand Scanning Sensing/Touch Sensing/ Human Body Sensing


Application





- Reasonable lighting configuration creates a fashionable and luxurious lifestyle.
- High quality aviation aluminum, streamlined design, treat a visual feel for you.
- Embedded design, lamps are not only used for lighting but also as a perfect companion for furniture decoration.

Product Diagram



Product parameters

Model CBL-A2413-R1 DC12

Voltage(V) 12 Wattage (W/M)

Slot 18.5*13 (Length Customizable) Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted Embedded

Service Life (hours) 35000

Retail Price (HKD/M) \$68 (excluding power supply)

Built-in sensor Hand Scanning Sensing/Touch Sensing/ Human Body Sensing



Application

Cabinets, wardrobes, wine cabinets, display cabinets,

lockers and other furniture lighting.

明裝系列 SURFACE MOUNTED SERIES




 Light efficiency (lm/W).Power (W).Color Rendering Index (CRI). Length Can be customized according to customer needs.





- Mini ultra thin line light strip, minimalist decoration.
- Full PC cover emitting light, adjusting the emitting angle to achieve better display effect.
- The ultra-thin lamp body design is thin but not rough.



Product parameters

Model CBL-A0808-S1 DC12 Voltage(V)

Wattage (W/M)

Length Customizable Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)


Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063 Surface Oxidation Silver/Black Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)



Application



- V-shaped wall with 180 degree angle insertion and 90 degree angle illumination.
- Easy to install, long service life, sturdy and durable.
- Green and environmentally friendly lighting source that does not produce harmful ultraviolet light.







Product parameters

Model CBL-A0808-S2 DC12 Voltage(V)

Wattage (W/M) Length Customizable Size (mm)

SMD2835 LED

3000/4000/6000 Colour Temp (K) Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- The lamp body is small and exquisite, and the lamp and furniture are integrated.
- Surface mounted laminate, embedded wardrobe side panels.
- Ultra thin body, perfect streamline combination of aluminum and light guide plate.



Product parameters

Model CBL-A1010-S1 DC12 Voltage(V)

Wattage (W/M) Length Customizable Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K) Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063 Surface Oxidation Silver

Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting Service Life (hours)

35000


Retail Price (HKD/M) \$50 (excluding power supply)



Application



- Cold light, low heat, no heat radiation display commodities.
- Reasonable design, easy installation, suitable for a variety of needs places.
- Partially suitable for cabinets, display lighting.



Product parameters

Model CBL-A1013-S1 DC12 Voltage(V) Wattage (W/M)

Length Customizable Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting Service Life (hours)

35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- High transparency, non dazzling, natural color, and uniform light.
- Easy installation, long life, no light spot design.
- High thermal conductivity aluminum based PCB board, low heat generation, fast heat dispersion.



Product parameters

Wattage (W/M)

Model CBL-A1515-S1 DC12 Voltage(V) 12

Length Customizable Size (mm)

SMD2835 LED

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063 Surface Oxidation Silver/Black Lead Length (cm) 200


Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000

Retail Price (HKD/M) \$68 (excluding power supply)

Built-in sensor


Hand Scanning Sensing/ Touch Sensing/ Human Body Sensing



Application



- V-shaped wall with 180 degree angle insertion and 90 degree angle illumination.
- Easy to install, long service life, sturdy and durable.
- Green and environmentally friendly lighting source that does not produce harmful ultraviolet light.







Product parameters

 Model
 JK-C1616F

 Voltage (V)
 DC12

 Wattage (W/M)
 8

Size (mm) Length Customizable LED SMD2835

 Colour Temp (K)
 3000/4000/6000

 Lumen Output(Lum/W)
 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- Outside of the installation laminate, hidden oblique light shining inward.
- Humanized structure design, simple and convenient installation, suitable for various places.
- Green environmental protection light source, does not produce harmful ultraviolet light.



Product parameters

Model CBL-A1806-S1 Voltage (V) DC12

Voltage (V)
Wattage (W/M)

6

Size (mm) Length Customizable

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Gray Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000


Retail Price (HKD/M) \$66 (excluding power supply)



Application



- Light visual feast, experiencing different beauty.
- Efficient LED light source, high brightness, good color rendering, no light spots, soft light without hurting the
 eves.
- Easy to install, long life, ultra thin lamp body, simple, smart and stylish.



Product parameters

 Model
 CBL-A1812-S1

 Voltage(V)
 DC12

Wattage (W/M) 12
Size (mm) Length Customizable

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000

Retail Price (HKD/M) \$68 (excluding power supply)

Built-in sensor Hand Scanning Sensing / Touch Sensing/Human Body Sensing




Application





- Outside of the installation laminate, hidden oblique light shining inward.
- Humanized structure design, simple and convenient installation, suitable for various places.
- Green environmental protection light source does not produce harmful ultraviolet light.





Product parameters

Model CBL-A2112-S1 Voltage(V) DC12

Wattage (W/M) 8

Size (mm) Length Customizable

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)



Application



- Large illuminated surface.
- High oxidation resistance, good thermal conductivity, and high heat dissipation.
- High quality aluminum material, milky white cover emits soft light.



Product parameters

 Model
 CBL-A2309-S1

 Voltage(V)
 DC12

Wattage (W/M) 16

Size (mm) Length Customizable

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Service Life (hours) 35000

Retail Price (HKD/M) \$95 (excluding power supply)

Built-in sensor Hand Scanning Sensing / Touch Sensing/Human Body Sensing




Application





- Large illuminated surface.
- High oxidation resistance, good thermal conductivity, and high heat dissipation.
- High quality aluminum material, milky white cover emits soft light.



Product parameters

Model CBL-A2910-S1 DC12 Voltage(V)

Wattage (W/M)

Length Customizable Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material

Service Life (hours)

Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Buckle or 3M Adhesive Pasting

Retail Price (HKD/M) \$95 (excluding power supply) Built-in sensor Hand Scanning Sensing

Application



異形系列 SPECIAL SHAPE SERIES



 Light efficiency (lm/W),Power (W),Color Rendering Index (CRI), Length Can be customized according to customer needs.



- 玻璃層板燈 GLASS SHELF LIGHTS
- 層板燈 LAMINATE LIGHTS
- 免拉手燈 FREE HANDLE LIGHTS




玻璃層板燈 / GLASS SHELF LIGHTS




Product Feature

- Concealed snap into 6-8MM glass laminate.
- Transparent glass, high brightness.
- Aesthetic design, glass laminate highlights decorative effects.

Product Diagram





Product parameters

 Model
 CBL-A1312-P1

 Voltage (V)
 DC12

 Wattage (W/M)
 8

Size (mm) 11 (Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Clamp in 6-8mm Glass

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application





- Concealed snap into 6-8MM glass laminate.
- LED cold light source, soft light and no spot design.
- It emits light on three sides and plls up and down the light, the light transmission effect is good.



Product parameters

Wattage (W/M)

Model CBL-A1116-P1 Voltage(V) DC12

Size (mm) 11(Length Customizable)

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output (Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Clamp in 6-8mm Glass

Service Life (hours) 35000

Retail Price (HKD/M) \$50 (excluding power supply)




Application



- It is easy to install by snapping into 18mm thick board.
- Front-mounted, can be illuminated inward, internally, can be illuminated outward.
- Hidden oblique light, stuck on the shelf, simple and stylish.

Product Diagram



Product parameters

Model CBL-A1232-P1 Voltage (V) DC12

Wattage (W/M) 8
Size (mm) Length Customizable

LED SMD2835

Colour Temp (K) 3000/4000/6000 Lumen Output(Lum/W) 100±5

Lumen Output(Lum/W) 100±5
Lamp Body Material Alumini


Lamp Body Material Aluminum 6063 Surface Oxidation Black/Gold

Installation Method Clip in 18mm layer board

200

Service Life (hours) 35000

Retail Price (HKD/M) \$76 (excluding power supply)



Application


Cabinets, wardrobes, wine cabinets, display cabinets, lockers and other furniture lighting.

Lead Length (cm)





- Embedded 18mm board, classic creative design.
- Light up and down, balanced light, uniform light color.
- Thick aluminum, strong bearing capacity, not easy to deform



Product parameters

 Model
 JK-C2818L

 Voltage (v)
 DC12

 Wattage (W/M)
 16

Size (mm) Length Customizable

LED SMD2835

 Colour Temp (K)
 3000/4000/6000

 Lumen Output(Lum/W)
 100±5

 Lamp Body Material
 Aluminum 6063

Surface Oxidation Silver Lead Length (cm) 200

Installation Method Slotted, Embedded Installation

Service Life (hours) 35000

Retail Price (HKD/M) \$99 (excluding power supply)


Built-in sensor Hand Scanning Sensing / Touch Sensing/Human Body Sensing



Application



- Embedded 18mm board, classic creative design.
- Light up and down, balanced light, uniform light color.
- Thick aluminum, strong bearing capacity, not easy to deform





Product parameters

Model Voltage(V)

Wattage (W/M)

Size (mm) LED

Colour Temp (K)
Lumen Output(Lum/W)

Lamp Body Material

Surface Oxidation

Lead Length (cm)

Installation Method Service Life (hours)

Retail Price (HKD/M)

Built-in sensor

CBL-A3020-P1

DC12

Length Customizable

SMD2835

3000/4000/6000

100±5

Aluminum 6063

Silver/Black/Gold/Bronze

200

Clip in 18mm layer board

35000

\$105 (excluding power supply)

Hand Scanning Sensing / Touch Sensing/ Human Body Sensing



Application





- With handle function, can be directly inserted into the 18-cm board.
- Light up and down, balanced light, uniform light color.
- Thick aluminum, strong bearing capacity, not easy to deform.



Product parameters

 Model
 CBL-A4120-P1

 Voltage (v)
 DC12

 Wattage (W/M)
 16

Size (mm) Length Customizable

LED SMD2835

Colour Temp (K) 3000/4000/6000

Lumen Output(Lum/W) 100±5

Lamp Body MaterialAluminum 6063Surface OxidationSilver/Black/Bronze

Lead Length (cm) 200


Installation Method Slotted, Embedded Installation

Service Life (hours) 35000

Retail Price (HKD/M) \$118 (excluding power supply)

Built-in sensor Hand Scanning Sensing / Touch Sensing/Human Body Sensing

Application





- Froduct Feature
- With handle function, can be directly inserted into the 18-cm board.
- Light up and down, balanced light, uniform light color.
- Thick aluminum, strong bearing capacity, not easy to deform.



Installation Method Service Life (hours)

Retail Price (HKD/M) \$118 (excluding power supply)

Built-in sensor Hand Scanning Sensing / Touch Sensing/Human Body Sensing

35000


Slotted, Embedded Installation

Application





- With handle function, can be directly inserted into the 18-cm board.
- Light up and down, balanced light, uniform light color.
- Thick aluminum, strong bearing capacity, not easy to deform.



unit:mm



Product parameters

Model CBL-A5020-P1 DC12 Voltage(V) 16 Wattage (W/M)

Length Customizable Size (mm)

LED SMD2835

3000/4000/6000 Colour Temp (K)

Lumen Output(Lum/W) 100±5

Lamp Body Material Aluminum 6063

Surface Oxidation Bronze Lead Length (cm) 200

Installation Method Clip in 18mm layer board

Service Life (hours) 35000

Retail Price (HKD/M) \$118 (excluding power supply)

Built-in sensor Hand Scanning Sensing / Touch Sensing/Human Body Sensing

Application



Jig-kit Health & Decorative Light Company

杰 克 健 康 燈 飾 公 司

Office Address: Room B3, 18/F Bonsun Industrial Building, 364-366 Sha Tsui Road, Tsuen Wan, HongKong

Phone: 852-3107 7500

Fax: 852-3544 0462

Whatsapp: 852-5977 2627

Email: info@jig-kitlight.com