



Jig-kit Health & Decorative Light Company

# Soft Light Strip

LED Lighting Series

# CATALOG

[www.jig-kitlight.com](http://www.jig-kitlight.com)



HK-P-J2





# COMPANY PROFILE

## jig-kit health & decorative light company 杰克健康燈飾公司

jig-kit health & decorative light company emerges as a lighting designer, manufacturer and supplier established in Hong Kong and Mainland China . Our company devotes herself in the development, manufacturing and marketing of green, low-carbon and energy-saving lighting products. we are proud to provide a wide range of LED products.



Bright & Uniform



Safe & Stable



Green



Customized

### Apply to decorative light

- LED cabinet lamp, LED aluminum light strip
- LED modeling light, LED neon light
- LED soft light strip, LED waterproof light strip
- Decorative lights for various festival atmosphere

# Strip Series

---



P00 SLB-L2835X-140



P00 SLB-L2835X-80



P00 SLB-L2835X-128



P00 SLB-L2835X-160



P00 SLB-LCOBX-384



P00 SLB-LCOBX-480



P00 SLB-L2835X-140



P00 SLB-L2835X-180



P00 SLB-LCOBX-420



P00 SLB-LCOBX-504



P00 SLB-LCOBX-300



P00 SLB-LCOBX-280



P00 SLB-LCOBX-300



P00 SLB-LCOBX-320



P00 SLB-LCOBX-480



P00 SLB-LCOBX-512



P00 SLB-LCOBX-320



P00 SLB-LCOBX-480



P00SLB-LCOBDW-512



P00 SLB-LCOBDW-640



P00 SLB-LCOBRGB-480



P00 SLB-LCOBRGB-486



P00 SLB-LCOBRGBW-640



P00 SLB-LCOBRGBCCCT-700



P00 SLB-LCOBX-360



P00 SLB-LCOBMRGB-540



P00 SLB-GCOBX-240



P00 SLB-GCOBX-288



P00 SLB-GCOBX-360



P00 SLB-L2835X-60



P00 SLB-L2835X-120



P00 SLB-L2835X-180



P00 SLB-L2835X-240



P00 SLB-G2835X-120



P00 SLB-G2835X-120



P00 SLB-G2835X-120



P00 SLB-G2835X-180



P00 SLB-G2835X-120



P00 SLB-G2835X-120

## Strip Kit Series

---



P00 SLB-PI2835X-140



P00 SLB-PICOBX-280



P00 SLB-PICOBX-320



P00 SLB-PICODW-640



P00 SLB-PICOBRGB-480



P00 SLB-PICOBRGB-486



P00 SLB-PWC0BRGB-480



P00 SLB-PWC0BRGB-486



P00 SLB-PWC0BRGBW-640



P00 SLB-PI2835X-30



P00 SLB-PI2835X-60



P00 SLB-PI2835DW-120



P00 SLB-PI5050RGB-18



P00 SLB-PI5050RGB-30



P00 SLB-PI5050RGB-60



P00 SLB-PR5050MRGB-30



P00 SLB-PI5050RGB-30



P00 SLB-PW5050RGB-18



P00 SLB-PW5050RGB-30



P00 SLB-PW5050RGB-60



P00 SLB-PW5050MRGB-30



P00 SLB-PW5050RGBW-60



P00 SLB-PW5050RGBCT-90



P00 SLB-PW5050MRGB-30



P00 SLB-PW5050MRGB-30

## LED Strip Accessories

---

Aluminum Profile

Power Supply

Crystal Connector

Solder Free Connector

Controller & Remoter

Cable

## Strip Series




- Light efficiency (lm/W), Power (W), Color Rendering Index (CRI), Length Can be customized according to customer needs.

## High Light Efficiency SMD Strip Series



- High Light Efficiency 135 lm/W
- High Energy Efficiency class D
- 5 Years Warranty
- No harmful blue light



### SLB-L2835X-140


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
140	24V DC	10W	< 5	80	● 3000K	125lm/W	\$8.5/m	\$18.3/m	
					● 4000K	135lm/W	\$8.5/m	\$18.3/m	
					○ 6500K	135lm/W	\$8.5/m	\$18.3/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164



JK-284

JK-537

## High Light Efficiency SMD Strip Series



- High Light Efficiency 170 lm/W
- High Energy Efficiency class C
- 5 Years Warranty
- No harmful blue light



### SLB-L2835X-80


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
					● 3000K	165lm/W	\$10.5/m	\$22.6/m	
80	12/24V DC	7.2W	< 5	80	● 4000K	170lm/W	\$10.5/m	\$22.6/m	
					○ 6500K	170m/W	\$10.5/m	\$22.6/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164


JK-284

JK-537

## High Light Efficiency SMD Strip Series



- High Light Efficiency 170 lm/W
- High Energy Efficiency class C
- 5 Years Warranty
- No harmful blue light



### SLB-L2835X-128


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
128	12/24V DC	12W	< 5	80	● 3000K	165lm/W	\$14/m	\$30.2/m	
					● 4000K	170lm/W	\$14/m	\$30.2/m	
					○ 6500K	170m/W	\$14/m	\$30.2/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-335



JK-385

JK-445

## High Light Efficiency SMD Strip Series



- High Light Efficiency 170 lm/W
- High Energy Efficiency class C
- 5 Years Warranty
- No harmful blue light



### SLB-L2835X-160


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
160	12/24V DC	15W	< 5	80	● 3000K	165lm/W	\$17/m	\$36.7/m	
					● 4000K	170lm/W	\$17/m	\$36.7/m	
					○ 6500K	170m/W	\$17/m	\$36.7/m	

All data are based on 1 meter IP20 strip.


### Available Waterproof Grade

IP20


### Aluminum Profile



JK-335



JK-385




JK-445

## High Efficiency COB Strip Series



- High Light Efficiency 135 lm/W
- High Energy Efficiency class D
- 5 Years Warranty
- No harmful blue light



### SLB-LCOBX-384


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
384	24V DC	10W	< 5	80	● 3000K	120lm/W	\$11.5/m	\$24.8/m	
					● 4000K	130lm/W	\$11.5/m	\$24.8/m	
					○ 6500K	135m/W	\$11.5/m	\$24.8/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164



JK-284

JK-537

## Full Spectrum COB Strip Series



- Full Spectrum CRI>98
- High Light Efficiency 100 lm/W
- No light dot at all
- 5 Years Warranty
- No harmful blue light



### SLB-LCOBX-480


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
480	12/24V DC	12W	< 3	98	● 3000K	80lm/W	\$13.5/m	\$29.1/m	G
					● 4000K	90lm/W	\$13.5/m	\$29.1/m	F
					○ 6500K	100m/W	\$13.5/m	\$29.1/m	F

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile




JK-164

JK-284

JK-537

Full Spectrum & High Light Efficiency



## Global Protected Patent

- Full Spectrum CRI>98
- High Light Efficiency 140 lm/W
- USA Bridgelux Brand LED
- 5 Years Warranty
- No harmful blue light

### SLB-L2835X-140




LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
140	24V DC	10W	< 3	98	● 3000K	130lm/W	\$12/m	\$25.9/m	
					● 4000K	140lm/W	\$12/m	\$25.9/m	
					○ 6500K	140m/W	\$12/m	\$25.9/m	

All data are based on 1 meter IP20 strip.

### Available Waterproof Grade



### Aluminum Profile



JK-335

JK-385

JK-445


Full Spectrum & High Light Efficiency



### Global Protected Patent

- Full Spectrum CRI>98
- High Light Efficiency 130 lm/W
- USA Bridgelux Brand LED
- 5 Years Warranty
- No harmful blue light

### SLB-L2835X-180




LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
180	12/24V DC	14W	< 3	98	● 3000K	120lm/W	\$14.5/m	\$31.3/m	▶ F
					● 4000K	130m/W	\$14.5/m	\$31.3/m	▶ F
					○ 6500K	130m/W	\$14.5/m	\$31.3/m	▶ F

All data are based on 1 meter IP20 strip.

### Available Waterproof Grade



### Aluminum Profile



JK-335


JK-385

JK-445

## Super Long Working COB Strip Series



- Super long 24V continuous lighting
- 25 meters lighting without voltage drop
- Save installing charge
- Special IC design, no light loss at end
- With different waterproof grades
- No harmful blue light



### SLB-LCOBX-420



LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
420	24V DC	8W	< 3	90	● 3000K	80lm/W	\$11.5/m	\$24.8/m	<b>G</b>
					● 4000K	90lm/W	\$11.5/m	\$24.8/m	<b>F</b>
					○ 6500K	100m/W	\$11.5/m	\$24.8/m	<b>F</b>
420	24V DC	8W	< 3	80	● 3000K	90lm/W	\$10.5/m	\$22.6/m	<b>F</b>
					● 4000K	100lm/W	\$10.5/m	\$22.6/m	<b>F</b>
					○ 6500K	105m/W	\$10.5/m	\$22.6/m	<b>F</b>

All data are based on 1 meter IP20 strip.


#### Available Waterproof Grade



IP20

IP65

#### Aluminum Profile




JK-335

JK-385

JK-445

## Super Long Working COB Strip Series



- Super long 48V continuous lighting
- 30 meters lighting when one end powered
- 50 meters lighting when two ends powered
- Save Installing Charge
- Different Waterproof IP20/IP65/IP67/IP68
- No harmful blue light

### SLB-LCOBX-504




LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
504	48V DC	6W	< 3	90	● 3000K	80lm/W	\$12.5/m	\$27/m	
					● 4000K	90lm/W	\$12.5/m	\$27/m	
					○ 6500K	100m/W	\$12.5/m	\$27/m	
504	48V DC	6W	< 3	80	● 3000K	90lm/W	\$11.5/m	\$24.8/m	
					● 4000K	100lm/W	\$11.5/m	\$24.8/m	
					○ 6500K	105m/W	\$11.5/m	\$24.8/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade




#### Aluminum Profile



## Cut Anywhere COB Strip Series



- Special design for cutting any where
- Can be Cut at any place on the strip
- Mini cut 1mm
- Good use for cabinet, aluminum profile lighting
- No harmful blue light



### SLB-LCOBX-300


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
300	12/24V DC	10W	< 3	90	● 3000K	75lm/W	\$11.5/m	\$22.6/m	
					● 4000K	85lm/W	\$11.5/m	\$22.6/m	
					○ 6500K	90m/W	\$11.5/m	\$22.6/m	
300	12/24V DC	10W	< 3	80	● 3000K	80lm/W	\$9.5/m	\$20.5/m	
					● 4000K	90lm/W	\$9.5/m	\$20.5/m	
					○ 6500K	95m/W	\$9.5/m	\$20.5/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164


JK-284

JK-537

## General COB Strip Series



● No harmful blue light



## SLB-LCOBX-280


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
280	24V DC	10W	< 3	90	● 3000K	80lm/W	\$10/m	\$21.5/m	
					● 4000K	90lm/W	\$10/m	\$21.5/m	
					○ 6500K	100m/W	\$10/m	\$21.5/m	
280	24V DC	10W	< 3	80	● 3000K	90lm/W	\$9/m	\$19.4/m	
					● 4000K	100lm/W	\$9/m	\$19.4/m	
					○ 6500K	105m/W	\$9/m	\$19.4/m	

All data are based on 1 meter IP20 strip.

## Available Waterproof Grade



## Aluminum Profile




JK-164

JK-284

JK-537

## General COB Strip Series



- 1cm cutting
- No harmful blue light

### SLB-LCOBX-300


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
300	12V DC	10W	< 3	90	● 3000K	75lm/W	\$10.5/m	\$22.6/m	
					● 4000K	85lm/W	\$10.5/m	\$22.6/m	
					○ 6500K	85lm/W	\$10.5/m	\$22.6/m	
300	12V DC	10W	< 3	80	● 3000K	85lm/W	\$9.5/m	\$20.5/m	
					● 4000K	90lm/W	\$9.5/m	\$20.5/m	
					○ 6500K	95lm/W	\$9.5/m	\$20.5/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164



JK-284

JK-537

## General COB Strip Series



○ No harmful blue light



### SLB-LCOBX-320


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
320	12/24V DC	10W	<3	90	● 3000K	80lm/W	\$11/m	\$23.7/m	F
					● 4000K	100lm/W	\$11/m	\$23.7/m	F
					○ 6500K	110lm/W	\$11/m	\$23.7/m	F
320	12/24V DC	10W	<3	80	● 3000K	100lm/W	\$10/m	\$21.5/m	F
					● 4000K	110lm/W	\$10/m	\$21.5/m	F
					○ 6500K	115m/W	\$10/m	\$21.5/m	F

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade





#### Aluminum Profile



## General COB Strip Series



○ No harmful blue light



### SLB-LCOBX-480


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
480	12/24V DC	12W	<3	90	● 3000K	80lm/W	\$112/m	\$25.9/m	
					● 4000K	90lm/W	\$12/m	\$25.9/m	
					○ 6500K	100m/W	\$12/m	\$25.9/m	
480	12/24V DC	12W	<3	80	● 3000K	90m/W	\$11/m	\$23.7/m	
					● 4000K	100lm/W	\$11/m	\$23.7/m	
					○ 6500K	105m/W	\$11/m	\$20.5/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164



JK-284

JK-537

## General COB Strip Series



○ No harmful blue light



### SLB-LCOBX-512


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
512	12/24V DC	12W	<3	90	● 3000K	80lm/W	\$13/m	\$28/m	
					● 4000K	100lm/W	\$13/m	\$28/m	
					○ 6500K	110lm/W	\$13/m	\$28/m	
512	12/24V DC	12W	<3	80	● 3000K	100lm/W	\$12/m	\$25.9/m	
					● 4000K	110lm/W	\$12/m	\$25.9/m	
					○ 6500K	115m/W	\$12/m	\$25.9/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade





#### Aluminum Profile



## Super Slim COB Strip Series



- Super Slim 5mm
- No harmful blue light



### SLB-LCOBX-320


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
320	12/24V DC	6W	<3	90	● 3000K	80lm/W	\$10.5/m	\$22.6/m	
					● 4000K	100lm/W	\$10.5/m	\$22.6/m	
					○ 6500K	110m/W	\$10.5/m	\$22.6/m	
320	12/24V DC	6W	<3	80	● 3000K	100lm/W	\$9.5/m	\$20.5/m	
					● 4000K	110lm/W	\$9.5/m	\$20.5/m	
					○ 6500K	115m/W	\$9.5/m	\$20.5/m	

All data are based on 1 meter IP20 strip.


Available Waterproof Grade

IP20


Aluminum Profile



JK-231



JK-342





JK-329

## High Lumen COB Strip Series



○ No harmful blue light



### SLB-LCOBX-480


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
480	12/24V DC	15W	<3	90	● 3000K	80lm/W	\$13/m	\$28/m	
					● 4000K	100lm/W	\$13/m	\$28/m	
					○ 6500K	110lm/W	\$13/m	\$28/m	
480	12/24V DC	15W	<3	80	● 3000K	100lm/W	\$12/m	\$25.9/m	
					● 4000K	110lm/W	\$12/m	\$25.9/m	
					○ 6500K	115m/W	\$12/m	\$25.9/m	

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile




JK-164

JK-284

JK-537

## Dual CCT COB Strip Series



☉ No harmful blue light

### SLB-LCOBDW-512

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
512	24V DC	5W+5W	<5	90	2700-6500K	80-100lm/W	\$14.5/m	\$31.3/m

All data are based on 1 meter IP20 strip.

Available Waterproof Grade




Available Controller



CCT Controller

Aluminum Profile



JK-445

JK-448



JK-87

## Dual CCT COB Strip Series



☉ No harmful blue light

### SLB-LCOBDW-640



LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
640	12/24V DC	6W+6W	<5	90	2700-6500K	80-100lm/W	\$15.5/m	\$34.4/m

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade




#### Available Controller



CCT Controller

#### Aluminum Profile



JK-445


JK-448

JK-87

## COB RGB Strip Series



3 years warranty



### SLB-LCOBRGB-480

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
480	24V DC	10W	/	/	/	/	\$17/m	\$36.7/m

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



IP20

IP65

#### Available Controller




IR RGB Controller




WiFi RGB Controller


#### Aluminum Profile



JK-445



JK-448




JK-87

## COB RGB Strip Series



3 years warranty




### SLB-LCOBRGB-486

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
486	12V DC	10W	/	/	/	/	\$18.5/m	\$39.5/m

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



IP20

IP65

#### Available Controller




IR RGB Controller




WIFI RGB Controller


#### Aluminum Profile



JK-445



JK-448




JK-87

## COB RGBW Strip Series



3 years warranty



### SLB-LCOBRGBW-640

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
640	24V DC	12W	/	/	RGB+3000K	/	\$22/m	\$47/m
					RGB+4000K	/	\$22/m	\$47/m
					RGB+6500K	/	\$22/m	\$47/m

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



IP20

IP65

#### Available Controller




IR RGBW Controller




WIFI RGBW Controller


#### Aluminum Profile



JK-456



JK-86




JK-87

## COB RGB CCT Strip Series



3 years warranty




### SLB-LCOB RGB CCT-700

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
700	24V DC	16W	/	/	RGB + 2700-6500K	/	\$24.5/m	\$52.8/m

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Available Controller




IR RGB CCT Controller



WiFi RGB CCT Controller

#### Aluminum Profile



JK-445


JK-448

JK-87

## COB Running Water Strip



3 years warranty




## SLB-LCOBX-360


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
360	24V DC	12W	<6	90	● 3000K	90lm/W	\$10.5/m	\$22.6/m
					● 4000K	95lm/W	\$10.5/m	\$22.6/m
					○ 6500K	100m/W	\$10.5/m	\$22.6/m

All data are based on 1 meter IP20 strip.

### Available Waterproof Grade



### Aluminum Profile



JK-456


JK-86

JK-87

## COB Magic RGB Strip



3 years warranty



## SLB-LCOBMRGB-540

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
540	24V DC	12W	/	/	Magic RGB	/	\$20/m	\$43.1/m

All data are based on 1 meter IP20 strip.

Available Waterproof Grade



IP20

IP65

Available Controller




RF Magic RGB Controller




WIFI Digital RGB Controller


Aluminum Profile



JK-456



JK-86



JK-87

## COB High Voltage Strip Series




- 220V COB strip short cutting Design
- Only 10cm cutting
- With different size tubes 4.5\*10mm, 6\*12mm
- Five different kinds of tube option
- Milky tube without any light dot

### SLB-GCOBX-240

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
240	220-240V AC	10W	<6	70	● 3000K	70lm/W	\$15.5/m	\$33.4/m
					● 4000K	70lm/W	\$15.5/m	\$33.4/m
					○ 6500K	75m/W	\$15.5/m	\$33.4/m

All data are based on 1 meter IP20 strip.




Available Waterproof Grade



IP65

Aluminum Profile



JK-335

JK-431

JK-455

## COB High Voltage Strip Series



### SLB-GCOBX-288

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
288	110-127V AC 220-240V AC	10W	<6	70	● 3000K	80lm/W	\$17.5/m	\$37.7/m
					● 4000K	85lm/W	\$17.5/m	\$33.4/m
					○ 6500K	85lm/W	\$17.5/m	\$37.7/m

All data are based on 1 meter IP65 strip.




Available Waterproof Grade




IP65


Aluminum Profile



JK-335



JK-431



JK-455


## COB High Voltage Strip Series



### SLB-GCOBX-360

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
360	110-127V AC 220-240V AC	12W	<6	70	● 3000K	80lm/W	\$19.5/m	\$42/m
					● 4000K	85lm/W	\$19.5/m	\$42/m
					○ 6500K	85lm/W	\$19.5/m	\$42/m

All data are based on 1 meter IP65 strip.




Available Waterproof Grade



IP65

Aluminum Profile



JK-335

JK-431

JK-455

## COB High Voltage Strip Series

### Multiple extrusion types



- Tube Type: F2A
- Size: 12.5\*6.5mm
  - 270° lighting
  - No light dot at all IP65



- Tube Type: F2B
- Size: 12.5\*6.5mm
  - 180° Focus lighting
  - No light dot at all IP65



- Tube Type: F2C
- Size: 10\*5.5mm
  - Mini size D shape half round tube
  - 270° lighting
  - No light dot at all IP65





- Tube Type: F2D
- Size: 12\*6mm
  - Transparent tube anti-glare design

## General SMD Strip Series



○ No harmful blue light



### SLB-L2835X-60


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
60	12/24V DC	4.8W	<5	80	● 3000K	90lm/W	\$8.5/m	\$18.3/m	
					● 4000K	95lm/W	\$8.5/m	\$18.3/m	
					○ 6500K	100m/W	\$8.5/m	\$18.3/m	

All data are based on 1 meter IP20 strip.

### Available Waterproof Grade



### Aluminum Profile



JK-164



JK-284

JK-537

## General SMD Strip Series



○ No harmful blue light



### SLB-L2835X-120


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
120	12/24V DC	9.6W	<5	80	● 3000K	90lm/W	\$10.5/m	\$22.6/m	F
					● 4000K	95lm/W	\$10.5/m	\$22.6/m	F
					○ 6500K	100m/W	\$10.5/m	\$22.6/m	F

All data are based on 1 meter IP20 strip.

#### Available Waterproof Grade



#### Aluminum Profile



JK-164



JK-284

JK-537

## General SMD Strip Series



○ No harmful blue light



### SLB-L2835X-180


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
180	12/24V DC	14.4W	<5	80	● 3000K	90lm/W	\$12.5/m	\$27/m	F
					● 4000K	95lm/W	\$12.5/m	\$27/m	F
					○ 6500K	100m/W	\$12.5/m	\$27/m	F

All data are based on 1 meter IP20 strip.


### Available Waterproof Grade

IP20


### Aluminum Profile



JK-335



JK-385





JK-445

## General SMD Strip Series



○ No harmful blue light



### SLB-L2835X-240


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
240	12/24V DC	19.2W	<5	80	● 3000K	90lm/W	\$14.5/m	\$31.3/m	F
					● 4000K	95lm/W	\$14.5/m	\$31.3/m	F
					○ 6500K	100m/W	\$14.5/m	\$31.3/m	F

All data are based on 1 meter IP20 strip.


### Available Waterproof Grade

IP20


### Aluminum Profile



JK-335



JK-385



JK-445

## High Voltage SMD Strip Series




- 110/220V strip short cutting Design
- Only 10 cm cutting
- Mini size 4\*10mm
- IP67 silicone material



### SLB-G2835X-120

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
120	110-127V AC 220-240V AC	15W	<6	80	● 3000K	95lm/W	\$16.5/m	\$35.5/m	F
					● 4000K	100lm/W	\$16.5/m	\$35.5/m	F
					○ 6500K	105m/W	\$16.5/m	\$35.5/m	F
120	110-127V AC 220-240V AC	15W	<6	90	● 3000K	85lm/W	\$16.5/m	\$35.5/m	F
					● 4000K	95lm/W	\$16.5/m	\$35.5/m	F
					○ 6500K	100m/W	\$16.5/m	\$35.5/m	F

All data are based on 1 meter strip.



Available Waterproof Grade



IP67


## High Voltage SMD Strip Series



### SLB-G2835X-120

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
120	110-127V AC 220-240V AC	8W	<6	70	● 3000K	80lm/W	\$13.5/m	\$27/m	F
					● 4000K	90lm/W	\$13.5/m	\$72/m	F
					○ 6500K	95m/W	\$13.5/m	\$27/m	F

All data are based on 1 meter strip.



Available Waterproof Grade



IP65

## High Voltage SMD Strip Series




### SLB-G2835X-120

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
120 (2 Rows)	110-127V AC 220-240V AC	8W	<6	70	● 3000K	80lm/W	\$13.5/m	\$27/m	F
					● 4000K	90lm/W	\$13.5/m	\$72/m	F
					○ 6500K	95m/W	\$13.5/m	\$27/m	F

### SLB-G2835X-180

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
180 (2 Rows)	110-127V AC 220-240V AC	10W	<6	70	● 3000K	80lm/W	\$14.5/m	\$31.3/m	F
					● 4000K	90lm/W	\$14.5/m	\$31.3/m	F
					○ 6500K	95m/W	\$14.5/m	\$31.3/m	F

All data are based on 1 meter strip.



Available Waterproof Grade



IP65


## High Voltage SMD Strip Series



### SLB-G2835X-180

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
180 (3 Rows)	110-127V AC 220-240V AC	10W	<6	70	● 3000K	80lm/W	\$15.5/m	\$33.4/m	F
					● 4000K	90lm/W	\$15.5/m	\$33.4/m	F
					○ 6500K	95m/W	\$15.5/m	\$33.4/m	F

All data are based on 1 meter strip.



Available Waterproof Grade



IP65

## High Voltage SMD Strip Series



- ⦿ 110/220V strip short cutting Design
- ⦿ Only 10 cm cutting
- ⦿ Mini size 4\*10mm



### SLB-G2835X-120


LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
120	110-127V AC 220-240V AC	9W	<6	70	● 3000K	95lm/W	\$13.5/m	\$27/m	F
					● 4000K	100lm/W	\$13.5/m	\$72/m	F
					○ 6500K	105m/W	\$13.5/m	\$27/m	F

All data are based on 1 meter strip.

### SLB-G2835X-240

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
240 (2 rows)	110-127V AC 220-240V AC	12W	<6	70	● 3000K	95lm/W	\$15.5/m	\$33.4/m	F
					● 4000K	100lm/W	\$15.5/m	\$33.4/m	F
					○ 6500K	105m/W	\$15.5/m	\$33.4/m	F

All data are based on 1 meter strip.



Available Waterproof Grade



IP65

## High Voltage SMD Strip Series




- 110/220V strip short cutting Design
- Only 20cm cutting



### SLB-G2835X-120

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
120	110-127V AC 220-240V AC	9W	<6	70	● 3000K	80lm/W	\$13.5/m	\$27/m	F
					● 4000K	90lm/W	\$13.5/m	\$72/m	F
					○ 6500K	95m/W	\$13.5/m	\$27/m	F

All data are based on 1 meter strip.



Available Waterproof Grade



IP65

## Strip Kit Series



- Light efficiency (lm/W), Power (W), Color Rendering Index (CRI), Length Can be customized according to customer needs.

## Neon Strip Kit



- New Half round shape neon design
- 180 degree round light
- Uniform light without dark spots
- Use high quality, High transparent silicone
- High light Efficiency 100-115 lm/w
- Waterproof IP67 anti UV
- Easy install with special fix clip
- 3 Years warranty

### SLB-PI2835X-140


LED Qty	Voltage	Power	SDCM	Ra	Luminous Efficacy	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
SMD 2835	140	24V DC	7W	80	● 2700K	100lm/W	\$15.8/m	\$39.9/m	F
					● 3000K	105lm/W	\$15.8/m	\$39.9/m	F
					● 4000K	115lm/W	\$15.8/m	\$39.9/m	E
					○ 6500K	115m/W	\$15.8/m	\$39.9/m	E

All data are based on 1 meter IP67 strip.

Full Kit Includes:

Model	Neon Strip	Adapter	Buckle	Screw	Sticker	End Cap
SLB-PI2835X-140	1.5m	24V 0.5A	3	3	3	1
SLB-PI2835X-140	3m	24V 1A	5	5	5	1
SLB-PI2835X-140	5m	24V 1.5A	8	8	8	1

Top View



Side View



IP Rating



IP67  
Width: 13mm  
Height: 10mm

Accessories



Buckle    Screw    Sticker    End Cap

## Single Color COB Strip Kit



Full Kit Includes:

COB strip\*1  
Adapter\*1


### SLB-PICOBX-280

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
280	24V DC	10W	<3	90	● 3000K	90lm/W	\$20.5/m	\$44.2/m	F
					● 4000K	95lm/W	\$20.5/m	\$44.2/m	F
					○ 6500K	100m/W	\$20.5/m	\$44.2/m	F

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	24V DC	1A (3m) 1.5A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## Single Color COB Strip Kit



Full Kit Includes:

COB strip\*1  
Adapter\*1


### SLB-PICOBX-320

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M	
320	24V DC	10W	<3	90	● 3000K	90lm/W	\$21.5/m	\$46.4/m	F
					● 4000K	95lm/W	\$21.5/m	\$46.4/m	F
					○ 6500K	100m/W	\$21.5/m	\$46.4/m	F

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	24V DC	1A (3m) 1.5A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## Dual CCT COB Strip Kit



Full Kit Includes:

COB Dual CCT strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PICBDW-640

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
640	24V DC	12W	<5	90	2700-6500K	/	\$23.5/m	\$50.7/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	24V DC	0.75A (3m) 1A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP65

IP67

## COB RGB Strip IR Kit



Full Kit Includes:

COB RGB strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PICOBRGB-480

LED Qty	Voltage	Power	SDCM	Ra	Color	FPCB	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
480	24V DC	8W	/	/	RGB	White	\$20.5/m	\$44.2/m


All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	24V DC	1A (3m) 1.5A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP65

## COB RGB Strip IR Kit



Full Kit Includes:

COB RGB strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PICOBRGB-486

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
486	12V DC	8W	/	/	RGB	/	\$18.5/m	\$39.9/m


All data are based on 1 meter IP20 strip.

### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A (3m) 3A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



### Available Waterproof Grade



IP20

IP65

## COB RGB Strip IR Kit

tuya



Full Kit Includes:

COB RGB strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PICOBRGB-480

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
480	24V DC	8W	/	/	RGB	/	\$20.5/m	\$44.2/m


All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	24V DC	1A (3m) 1.5A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP65

## COB RGB Strip IR Kit

tuya



Full Kit Includes:

COB RGB strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PICOBRGB-486

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
486	12V DC	8W	/	/	RGB	/	\$18.5/m	\$39.9/m


All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A (3m) 3A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP65

## COB RGBW Strip WIFI Kit



Full Kit Includes:

- COB RGBW strip\*1
- Adapter\*1
- Tuya WIFI Controller\*1
- Remoter\*1


### SLB-PWCOBRGBW-640

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
640	24V DC	12W	/	/	RGB+Whte	/	\$19.5/m	\$42/m


All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	24V DC	0.75A (3m) 1A (5m)	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP65

## Single Color SMD 2835 Strip Kit



Full Kit Includes:  
SMD 2835 strip\*1  
Adapter\*1


### SLB-PI2835X-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 2835	12V DC	2.4W	/	/	● 3000K	/	\$9.5/m	\$20.5/m
					● 4000K	/	\$9.5/m	\$20.5/m
					○ 6500K	/	\$9.5/m	\$20.5/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	1A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP44

IP65

## Single Color SMD 2835 Strip Kit



Full Kit Includes:

SMD 2835 strip\*1  
Adapter\*1


### SLB-PI2835X-60

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 2835	12V DC	4.8W	/	/	● 3000K	/	\$10.5/m	\$22.6/m
					● 4000K	/	\$10.5/m	\$22.6/m
					○ 6500K	/	\$10.5/m	\$22.6/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	1.5A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## Dual CCT SMD 2835 Strip IR Kit



Full Kit Includes:

SMD 2835 Dual CCT strip\*1

Adapter\*1

IR Controller\*1

Remoter\*1


### SLB-PI2835DW-120

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 2835	12V DC	9.6W	/	/	2700-6500K	/	\$13.5/m	\$29.1/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP44

IP65

## RGB SMD Strip IR Kit



Full Kit Includes:

SMD 5050 RGB strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PI5050RGB-18

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	2.4W	/	/	RGB	/	\$15.5/m	\$33.4/m

All data are based on 1 meter/IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	1A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## RGB SMD Strip IR Kit



Full Kit Includes:

SMD 5050 RGB strip\*1  
 Adapter\*1  
 IR Controller\*1  
 Remoter\*1


### SLB-PI5050RGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	4.8W	/	/	RGB	/	\$17.5/m	\$37.7/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	1.5A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP44

IP65

## RGB SMD Strip IR Kit



Full Kit Includes:

SMD 5050 RGB strip\*1

Adapter\*1

IR Controller\*1

Remoter\*1


### SLB-PI5050RGB-60

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	7.2W	/	/	RGB	/	\$19.5/m	\$42/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	3A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP44

IP65

## SMD Digital RGB Strip RF Kit



Full Kit Includes:

SMD 5050 Digital RGB strip\*1  
 Adapter\*1  
 RF Controller\*1  
 Remoter\*1


### SLB-PR5050MRGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	6W	/	/	Digital RGB	/	\$18.5/m	\$39.9/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available WaterproofGrade



IP20

IP44

IP65

## How to install the strip




Cut the strip for the proper length



Peel off the release paper



Paste the strip



Connect the strip to the controller



Remove the transparent protector layer



Control the strip with remoter

## SMD RGB TV Strip IR Kit



### Full Kit Includes:

SMD 5050 RGB strip 1m  
 IR Controller\*1  
 Remoter\*1


### SLB-PI5050RGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	5V DC	3W	/	/	RGB	/	\$18.5/m	\$39.9/m

All data are based on 1 meter IP20 strip.

### Adapter Parameter

USB Powered



### Available Waterproof Grade



IP20

IP44

## SMD RGB Strip WIFI Kit



Full Kit Includes:

SMD 5050 RGB strip\*1  
 Adapter\*1  
 Tuya WIFI Controller\*1  
 Remoter\*1


### SLB-PW5050RGB-18

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	2.4W	/	/	RGB	/	\$18.5/m	\$39.9/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	1A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## SMD RGB Strip WIFI Kit



Full Kit Includes:

SMD 5050 RGB strip\*1  
 Adapter\*1  
 Tuya WIFI Controller\*1  
 Remoter\*1


### SLB-PW5050RGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	4.8W	/	/	RGB	/	\$17.5/m	\$37.7/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	1.5A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



IP20

IP44

IP65

## SMD RGB Strip WIFI Kit



Full Kit Includes:

- SMD 5050 RGB strip\*1
- Adapter\*1
- Tuya WIFI Controller\*1
- Remoter\*1


### SLB-PW5050RGB-60

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	7.2W	/	/	RGB	/	\$19.5/m	\$42/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	3A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## SMD Digital RGB Strip WIFI Kit



Full Kit Includes:

- SMD 5050 RGB strip\*1
- Adapter\*1
- Tuya WIFI Controller\*1
- Remoter\*1


### SLB-PW5050MRGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	6W	/	/	Digital RGB	/	\$18.5/m	\$39.9/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## SMD RGBW Strip WIFI Kit



Full Kit Includes:

SMD RGBW strip\*1  
 Adapter\*1  
 Tuya WIFI Controller\*1  
 Remoter\*1


### SLB-PW5050RGBW-60

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050 + SMD 2835	12V DC	4.8W	/	/	RGB+White	/	\$22.5/m	\$48.5/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE



#### Available Waterproof Grade



## SMD RGB+CCT Strip WIFI Kit



Full Kit Includes:

SMD RGCCT strip\*1  
 Adapter\*1  
 Tuya WIFI Controller\*1  
 Remoter\*1


### SLB-PW5050RGCCT-90

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050 + SMD 2835 + SMD 2835	12V DC	4.8W	/	/	RGB+CCT	/	\$28.5/m	\$61.5/m

All data are based on 1 meter IP20 strip.

#### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE




#### Available Waterproof Grade



HDMI TV Sync Strip Working

No TV strip works



## HDMI TV Sync Strip WIFI Kit

tuya



Full Kit Includes:

- SMD 5050 Digital RGB strip\*1
- HDMI Sync Box\*1
- 12V DC Power\*1
- HDMI Cable\*1
- Clip\*10
- Suitable for 55"-65" TV set

### SLB-PW5050MRGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	6W	/	/	Digital RGB	/	\$17.5/m	\$37.7/m


All data are based on 1 meter IP20 strip.

### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SA/KC/PSE

### HDMI Sync Box Parameter

Input Voltage	Data Input	Data output to TV
12V DC	HDMI	HDMI



## HDMI TV Sync Strip WIFI Kit

tuya



Full Kit Includes:

- SMD 5050 Digital RGB strip\*1
- HDMI Sync Box\*1
- 12V DC Power\*1
- HDMI Cable\*1
- Clip\*10
- Suitable for 75"-85"TV set

### SLB-PW5050MRGB-30

LED Qty	Voltage	Power	SDCM	Ra	CCT	Luminous Efficacy	Retail Price HKD/1-19M	Bulk Price HKD/20-100M
SMD 5050	12V DC	6W	/	/	Digital RGB	/	\$17.5/m	\$37.7/m


All data are based on 1 meter IP20 strip.

### Adapter Parameter

Plug Type	Input Voltage	Output Voltage	Max Current	Certification
EU/US/AU/UK	110/220V AC	12V DC	2A	CE RoHS/UL/ETL /UKCA/SAA/KC/PSE

### HDMI Sync Box Parameter

Input Voltage	Data Input	Data output to TV
12V DC	HDMI	HDMI



## How to install the TV strip



Clean the back of TV set or computer screen



Paste the strip on the TV



Connect the strip to the controller and plug the interface of controller into the TV USB port



Control the strip with remoter or Tuya APP

1M	2M	3M
<27"	27-43"	43-50"
4M		5M
55-70"		70-80"

The lengths of the strip for different sizes of TV sets



Cut the strip for the proper length

## Strip Kit Series




- Light efficiency (lm/W), Power (W), Color Rendering Index (CRI), Length Can be customized according to customer needs.

- Aluminum Profile
- Power Supply
- Crystal Connector
- Solder Free Connector
- Controller & Remoter
- Cable






JK-163




JK-164



JK-231



JK-284



JK-293



JK-319



JK-325



JK-329



JK-335




JK-341



JK-342



JK-385



JK-400



JK-431



JK-444



JK-445



JK-448



JK-449



JK-450



JK-455



JK-456



JK-477




JK-482




JK-493



JK-537



JK-538



JK-58S



JK-58A



JK-86



JK-87

## Power Supply

### Switching Power Supply



#### Non-waterproof Type

Input Voltage: 110~120V/220~240V AC  
Output Voltage: 12V/24V/36V/48V DC  
Watts: 30W/40W/60W/100W/120W/150W/200W/250W/300W/500W



#### Super thin Type

Input Voltage: 110~120V/220~240V AC  
Output Voltage: 12V/24V/36V/48V DC  
Watts: 30W/40W/60W/100W/120W/150W/200W/250W/300W/500W



#### Waterproof Type

Input Voltage: 110~120V/220~240V AC  
Output Voltage: 12V/24V/36V/48V DC  
Watts: 30W/40W/60W/100W/120W/150W/200W/250W/300W/500W

### Adapter



#### Wall Plug Adapter

Input Voltage: 110~120V/220~240V AC  
Output Voltage: 12V/24V DC  
Current: 0.5A/1A/1.5A/2A  
Color: White, Black



#### Desktop Adapter

Input Voltage: 110~120V/220~240V AC  
Output Voltage: 12V/24V DC  
Current: 2.5A/3A/4A/5A  
Color: White, Black

### Plug Type



US type



EU type



UK type



AU type

**Non-Waterproof crystal connector clamp type (Only use once, cannot open after pressing)**

Strip to Strip	Strip to Wire	Connector with Wire	Dual Connectors	Application
				5mm Width 2PIN COB Strip
MS-LJQ-C2P-05-01	JK-LJQ-C2P-05-02	JK-LJQ-C2P-05-03	JK-LJQ-C2P-05-04	
				8mm Width 2PIN COB/SMD Strip
JK-LJQ-SC2P-08-01	JK-LJQ-SC2P-08-02	JK-LJQ-SC2P-08-03	JK-LJQ-SC2P-08-04	
				10mm Width 2PIN SMD Strip
JK-LJQ-S2P-10-01	JK-LJQ-S2P-10-02	JK-LJQ-S2P-10-03	JK-LJQ-S2P-10-04	
				10mm Width 2PIN COB/SMD Strip
JK-LJQ-SC2P-10-01	JK-LJQ-SC2P-10-02	JK-LJQ-SC2P-10-03	JK-LJQ-SC2P-10-04	
				10mm Width 3PIN SMD Strip
JK-LJQ-S3P-10-01	JK-LJQ-S3P-10-02	JK-LJQ-S3P-10-03	JK-LJQ-S3P-10-04	
				10mm Width 4PIN COB Strip
JK-LJQ-C4P-10-01	JK-LJQ-C4P-10-02	JK-LJQ-C4P-10-03	JK-LJQ-C4P-10-04	
				10mm Width 4PIN SMD Strip
JK-LJQ-S4P-10-01	JK-LJQ-S4P-10-02	JK-LJQ-S4P-10-03	JK-LJQ-S4P-10-04	
				12mm Width 5PIN SMD Strip
JK-LJQ-S5P-12-01	JK-LJQ-S5P-12-02	JK-LJQ-S5P-12-03	JK-LJQ-S5P-12-04	
				12mm Width 6PIN SMD Strip
JK-LJQ-S6P-12-01	JK-LJQ-S6P-12-02	JK-LJQ-S6P-12-03	JK-LJQ-S6P-12-04	

## Waterproof Solder Free Connector

Strip to Strip	Strip to Wire	Dual Connectors	Application
			8mm Width 2PIN COB or SMD Strip
			10mm Width 2PIN COB Strip
			10mm Width 2PIN SMD Strip
			10mm Width 3PIN SMD Strip
			10mm Width 4PIN COB Strip
			10mm Width 4PIN SMD Strip
			10mm Width 5PIN SMD Strip
			12mm Width 5PIN SMD Strip
			12mm Width 6PIN SMD Strip

## Crystal Connector (many time use, can open after press)

### 5mm Width 2PIN LED Strip



JK-CB2P-5



JK-OA2P-5-1



JK-OA2P-5-2



JK-CB2P-5-L



JK-CB2P-5-T



JK-CB2P-5-X

### 8mm Width 2PIN LED Strip



JK-OB2P-8



JK-OA2P-8-1



JK-OA2P-8-2



JK-OB2P-8-L



JK-OB2P-8-T



JK-OB2P-8-X

### 10mm Width 2PIN LED Strip



JK-OB2P-10



JK-OA2P-10-1



JK-OA2P-10-2



JK-OB2P-10-L



JK-OB2P-10-T



JK-OB2P-10-X

### 8/10mm Width 3PIN LED Strip



JK-OB3P-10



JK-OA3P-10-1



JK-OA3P-10-2



JK-OB3P-10-L



JK-OB3P-10-T



JK-OB3P-10-X

### 10mm Width 4PIN LED Strip



JK-OB4P-10



JK-CA4P-10-1



JK-CA4P-10-2



JK-OB4P-10-L



JK-OB4P-10-T



JK-OB4P-10-X

### 12mm Width 5PIN LED Strip



JK-OB5P-10



JK-OA5P-10-1



JK-OA5P-10-2



JK-OB5P-10-L





JK-OB5P-10-T



JK-OB5P-10-X

## Solder Free Connector

---



## Controller & Remoter

---

### IR Controller



CCT Controller



RGB/RGBW Controller



RGBCCT Controller



RGB 5V Controller



Mini RGB Controller



Mini Digital RGB Controller

### RF Controller



Single Color Controller



Magic RGB Controller

### Tuya WIFI Controller



RGB/RGBW/RGBCCT Controller



RGB/RGBW/RGBCCT Controller



Digital RGB Controller

## Cable

---



DC Power Cable

Interface: 5.5\*2.1mm Jack  
Wire: 20AWG



Waterproof DC Power Cable

IP Rating: IP65-IP68  
Wire: 20AWG



2PIN Wire

Wire: 18/20/22 AWG  
Length: 15cm



2/3/4Core Cable

Wire: 18/20/22 AWG  
Length: 15cm



2/4pin Cable

Wire: 18/20/22 AWG  
Length: 15cm



3pin Connector Extension

Wire: 20AWG  
Length: 15cm



4/5/6pin Connector Extension

Wire: 24/28AWG  
Length: 15cm



4/5/6Core Connector Extension

Wire: 24/28AWG  
Length: 15cm

**Jig-kit Health & Decorative Light Company**  
杰 克 健 康 燈 飾 公 司

---

**Office Address:** Room B3, 18/F Bonsun Industrial Building,  
364-366 Sha Tsui Road, Tsuen Wan, HongKong

Phone: 852-3107 7500

Fax: 852-3544 0462

Whatsapp: 852-5977 2627

Email: [info@jig-kitlight.com](mailto:info@jig-kitlight.com)